

FUSION



cramer

REPRESENTED BY

 **FORMASPACE**

Fusion



The Fusion series is our most flexible line with dozens of configurable options and available with r+ Technology - our patented polyurethane cover system. This versatility makes Fusion our best-selling line that can fill a variety of roles in both lab and technical environments.



Features

- Heavy-duty steel seat for multi-shift durability
- Contoured molded seat with waterfall edge ensures 24-hour comfort
- Dynamic range of adjustments support the full range of seated postures from active forward-leaning to recline
- High performance twist-lock footring with 20" diameter (on desk-to-counter and high heights)
- Supports up to 350 lbs
- 12-Year, Three-Shift Warranty
- SCS Indoor Advantage Gold Certification and may help contribute toward LEED certification
- R+ meets BIFMA Healthcare Furniture Cleanability Guidelines HCF 8.1
- ISO Class 5 Cleanroom

Construction

- 26.75" fiberglass-reinforced nylon base
- 16-gauge steel seat pan
- Integrated steel arm structure with metal-to-metal connections eliminates points of failure
- High resiliency 3.5" thick seat foam
- Heat-bonded powder coat finish

Options

- Arms: an adjustable arm option or a fully articulating arm option

- Casters: multi-surface dual wheel is standard. A variety of other casters are also available
- High-performance twist-lock footrings: Flat surface black 20" is standard. Flat surface chrome 20" is also available
- Desk, desk-to-counter and high heights

r+ Technology

- Patented r+ combination of polyurethane and molded foam provides a comfortable seat
- Resists punctures, tears and virtually all spills; and cleans easily with bleach or ethanol
- Textured surface prevents slipping
- r+ properties: tear strength of 17.7 kgF, puncture resistance of 9.9 kgF, stretch of 660%, abrasion resistance of 25,000 and a Ross Flex rating of 150,000 flexes

ESD

Cramer ESD chairs are engineered to safely ground static, protecting sensitive equipment before discharge can do damage.

- Certified electrostatic discharge protection from top to floor
- ESD-safe casters or glides
- Polyurethane seat covers for cleanable, static-safe durability
- Flat surface chrome footring is standard
- 27.5" polished aluminum base
- Chrome cylinder standard



How To Choose The Model

Work Surface Height	Chair Height
29 - 32 IN	Desk
30 - 37 IN	Desk-to-Counter
33 - 42 IN	High



Pricing

CHAIR HEIGHT	ADJUSTMENT MECHANISM	FUSION r+		ESD Fusion r+	
		MODEL NUMBER	LIST PRICE	MODEL NUMBER	LIST PRICE
Desk	2-Way	RPMD2	\$1,450		
	4-Way	RPMD4	\$1,610	RPMD4256Q	\$2,070
	7-Way	RPMD7	\$1,925		
Desk-to-Counter	2-Way	RPML2	\$1,690		
	4-Way	RPML4	\$1,850		
High	2-Way	RPMH2	\$1,640		
	4-Way	RPMH4	\$1,795	RPMH4256Q	\$2,250

2 Way- Seat Height, Back Depth
4 Way- Seat Height, Back Height, Back Angle, Seat Angle
7 Way- Seat Height, Back Height, Back Angle, Seat Angle, Chair Tilt, Forward Tilt Limiter, Seat Depth



Dimensions

SEAT DIMENSIONS	WIDTH (X) DEPTH	20.00 IN (X) 19.25
SEAT HEIGHT	MIN-MAX	
	DESK	16.50 IN - 21.50 IN
	DESK TO COUNTER	17.75 IN - 25.00 IN
	HIGH	22.00 IN - 32.00 IN
BACK DIMENSIONS	WIDTH (X) HEIGHT	16.75 IN - 15.00 IN
BASE DIMENSIONS	DIAMETER	26.75 IN
ARMPAD HEIGHT ABOVE SEAT	MIN - MAX	5.25 IN - 9.00 IN
DISTANCE BETWEEN ARMPADS	MIN - MAX	17.75 IN - 21.00 IN
WEIGHT	DESK	32 LBS
	DESK TO COUNTER	39 LBS
	HIGH	39 LBS
	ARMS	10 LBS

Options

ORDER CODE	CATEGORY	LIST PRICE
r+ COLOR OPTIONS		
282	grey	
262	sky	
252	black	
256	black (ESD only)	
CASTERS		
2	multi-surface dual wheel	standard**
3	non-rolling glide	n/c
9	weight activated breaks when seated	\$160 (not available for ESD models)
10	hard surface single wheel with 3" diameter.....	\$70 (not available for ESD models)
ARMS		
B	adjustable arms	\$205
T	articulating arms	\$260 (not available for ESD models)
FOOTRINGS		
	flat surface black footring	standard**
X	flat surface chrome footring (20").....	\$40

**Standard casters and footrings included unless different options are requested.

HOW TO ORDER

MODEL NUMBER

COLOR CODE

AVAILABLE OPTIONS CODE



Every project is different.

That's why we deliver at three levels each with the same American-made quality, sourced and built in Austin, Texas.



STANDARD

Proven configurations from our catalog, ready to order and built to ship.

4 to 6 weeks*



MODIFIED

Our standard platforms, adapted to your specific dimensions, finishes, or features.

6 to 8 weeks*



CUSTOM

Fully bespoke design and engineering for unique workflows and constraints.

10 to 14 weeks*

*Subject to change based on supply. Confirm details with account manager.



Need it faster?

Ask about **Smart Ship™** Program:
Select standard workbenches in
10 business days.



-  Austin, Texas
-  800.251.1505
-  formaspace.com
-  hello@formaspace.com



Lab. Industrial. Workplaces. It's in our DNA.

